

# NFRC Product Certification Authorization Report



**Manufacturer:** Lawson Industries      **Product Series:** LaPorte 2200 Outswing French Door      **Simulation Lab:** SFTL      **Initial Cert. Date:** 06/06/2007  
**Street:** 8501 NW 90th Street      **Product Type:** EDLSL      **Sim. Report #:** 9044-2      **Re-Certification Date:** 08/26/2016  
**City/State/Zip:** Medley, FL 33166      **Air Leakage:**      **Sim. Report Date:** 08/18/2016      **Revised Date:** 12/05/2017  
**Print Date:** 08/03/2018      **VR (Standard Screen):**      **Test Date:** 07/30/2016      **Expiration Date:** 07/30/2021  
**VR (Enhanced Screen):**

CPD Number: LAW-A-5															IA: American Architectural Manufacturers Association														
Status	Product Num.	Manufacturer Code	Frame/Sash	Glaz Lyrs	Low-E (Surface)	Gap Width(s)	Spacer	Gap Fill	Grids	Dividers	Tint	U-Factor	SHGC	VT	Cond. Res.														
	00060-00001	1/8 Clear - Air - 1/8 Clear	AL/AL	2	0.84(2)	0.250	P1-S	Fill 1: AIR (100)	N		CL	0.85	0.46	0.45	19														
	00060-00002	1/8 Clear - Air - 1/8 Clear	AL/AL	2	0.84(2)	0.250	A8-S	Fill 1: AIR (100)	N		CL	0.85	0.46	0.45	19														
	00060-00003	1/8 Green - Air - 1/8 Clear	AL/AL	2	0.84(2)	0.250	P1-S	Fill 1: AIR (100)	N		GR	0.85	0.37	0.41	19														
	00060-00004	1/8 Green - Air - 1/8 Clear	AL/AL	2	0.84(2)	0.250	A8-S	Fill 1: AIR (100)	N		GR	0.85	0.37	0.41	19														
	00060-00005	1/8 Bronze - Air - 1/8 Clear	AL/AL	2	0.84(2)	0.250	P1-S	Fill 1: AIR (100)	N		BZ	0.85	0.38	0.33	19														
	00060-00006	1/8 Bronze - Air - 1/8 Clear	AL/AL	2	0.84(2)	0.250	A8-S	Fill 1: AIR (100)	N		BZ	0.85	0.38	0.33	19														
	00060-00007	1/8 Gray - Air - 1/8 Clear	AL/AL	2	0.84(2)	0.250	P1-S	Fill 1: AIR (100)	N		GY	0.85	0.37	0.31	19														
	00060-00008	1/8 Gray - Air - 1/8 Clear	AL/AL	2	0.84(2)	0.250	A8-S	Fill 1: AIR (100)	N		GY	0.85	0.37	0.31	19														
	00061-00001	1/8 Comfort E - Air - 1/8 Clear	AL/AL	2	0.84(2)	0.250	P1-S	Fill 1: AIR (100)	N		CL	0.85	0.40	0.41	19														
	00061-00002	1/8 Comfort E - Air - 1/8 Clear	AL/AL	2	0.84(2)	0.250	A8-S	Fill 1: AIR (100)	N		CL	0.85	0.40	0.41	19														
	00062-00001	3/16 Clear	AL/AL	1	0.84(2)		N		N		CL	1.09	0.50	0.49	12														
	00062-00002	3/16 Green	AL/AL	1	0.84(2)		N		N		GR	1.09	0.39	0.43	12														
	00062-00003	3/16 Bronze	AL/AL	1	0.84(2)		N		N		BZ	1.09	0.40	0.32	12														
	00062-00004	3/16 Gray	AL/AL	1	0.84(2)		N		N		GY	1.09	0.38	0.27	12														
	00062-00005	1/4 Clear	AL/AL	1	0.84(2)		N		N		CL	1.09	0.49	0.48	12														
	00062-00006	1/4 Green	AL/AL	1	0.84(2)		N		N		GR	1.09	0.38	0.42	12														
	00062-00007	1/4 Bronze	AL/AL	1	0.84(2)		N		N		BZ	1.09	0.38	0.29	12														
	00062-00008	1/4 Gray	AL/AL	1	0.84(2)		N		N		GY	1.09	0.36	0.25	12														
	00063-00001	1/8 LoE 366 - Air - 1/8 Clear	AL/AL	2	0.022(2)	0.250	P1-S	Fill 1: AIR (100)	N		CL	0.78	0.20	0.35	19														
	00063-00002	1/8 LoE 366 - Air - 1/8 Clear	AL/AL	2	0.022(2)	0.250	A8-S	Fill 1: AIR (100)	N		CL	0.78	0.20	0.35	19														
	00064-00001	1/8 LoE 270 - Air - 1/8 Clear	AL/AL	2	0.037(2)	0.250	P1-S	Fill 1: AIR (100)	N		CL	0.78	0.25	0.38	19														
	00064-00002	1/8 LoE 270 - Air - 1/8 Clear	AL/AL	2	0.037(2)	0.250	A8-S	Fill 1: AIR (100)	N		CL	0.78	0.25	0.38	19														
	00065-00001	1/8 LoE 240 - Air - 1/8 Clear	AL/AL	2	0.057(2)	0.250	P1-S	Fill 1: AIR (100)	N		CL	0.78	0.19	0.22	19														

# NFRC Product Certification Authorization Report



**Manufacturer:** Lawson Industries      **Product Series:** LaPorte 2200 Outswing French Door      **Simulation Lab:** SFTL      **Initial Cert. Date:** 06/06/2007  
**Street:** 8501 NW 90th Street      **Product Type:** EDSL      **Sim. Report #:** 9044-2      **Re-Certification Date:** 08/26/2016  
**City/State/Zip:** Medley, FL 33166      **Air Leakage:**      **Sim. Report Date:** 08/18/2016      **Revised Date:** 12/05/2017  
**Print Date:** 08/03/2018      **VR (Standard Screen):**      **Test Date:** 07/30/2016      **Expiration Date:** 07/30/2021  
**VR (Enhanced Screen):**

CPD Number: LAW-A-5																IA: American Architectural Manufacturers Association															
Status	Product Num.	Manufacturer Code	Frame/Sash	Glaz Lyrs	Low-E (Surface)	Gap Width(s)	Spacer	Gap Fill	Grids	Dividers	Tint	U-Factor	SHGC	VT	Cond. Res.																
	00065-00002	1/8 LoE 240 - Air - 1/8 Clear	AL/AL	2	0.057(2)	0.250	A8-S	Fill 1: AIR (100)	N		CL	0.78	0.19	0.22	19																
	00066-00001	1/8 LoE 366 - Arg - 1/8 Clear	AL/AL	2	0.022(2)	0.250	P1-S	Fill 1: ARG/AIR (90/10)	N		CL	0.74	0.19	0.35	19																
	00066-00002	1/8 LoE 366 - Arg - 1/8 Clear	AL/AL	2	0.022(2)	0.250	A8-S	Fill 1: ARG/AIR (90/10)	N		CL	0.74	0.19	0.35	19																
	00067-00001	1/8 LoE 270 - Arg - 1/8 Clear	AL/AL	2	0.037(2)	0.250	P1-S	Fill 1: ARG/AIR (90/10)	N		CL	0.75	0.24	0.38	19																
	00067-00002	1/8 LoE 270 - Arg - 1/8 Clear	AL/AL	2	0.037(2)	0.250	A8-S	Fill 1: ARG/AIR (90/10)	N		CL	0.75	0.24	0.38	19																
	00068-00001	1/8 LoE 240 - Arg - 1/8 Clear	AL/AL	2	0.057(2)	0.250	P1-S	Fill 1: ARG/AIR (90/10)	N		CL	0.75	0.19	0.22	19																
	00068-00002	1/8 LoE 240 - Arg - 1/8 Clear	AL/AL	2	0.057(2)	0.250	A8-S	Fill 1: ARG/AIR (90/10)	N		CL	0.75	0.19	0.22	19																
	00069-00001	1/8 Clear - 090 PVB - 1/8 Clear	AL/AL	1	0.843(2)		N		N		CL	1.07	0.46	0.48	14																
	00069-00002	1/8 Bronze - 090 PVB - 1/8 Clear	AL/AL	1	0.84(2)		N		N		CL	1.07	0.40	0.36	14																
	00069-00003	1/8 Gray - 090 PVB - 1/8 Clear	AL/AL	1	0.84(2)		N		N		CL	1.07	0.39	0.33	14																
	00069-00004	1/8 Clear - 090 Bronze PVB - 1/8 Clear	AL/AL	1	0.84(2)		N		N		CL	1.07	0.26	0.33	14																
	00069-00005	1/8 Clear - 090 Gray PVB - 1/8 Clear	AL/AL	1	0.84(2)		N		N		CL	1.07	0.29	0.07	14																
	00069-00006	1/8 Clear - 090 Green PVB - 1/8 Clear	AL/AL	1			N		N		GR	1.08	0.43	0.41	14																
	00070-00001	1/8 LoE 366 - Air - 1/8 Clear 090 PVB - 1/8 Clear	AL/AL	2	0.022(2)	0.250	P1-S	Fill 1: AIR (100)	N		CL	0.78	0.19	0.34	19																
	00070-00002	1/8 LoE 366 - Air - 1/8 Clear 090 PVB - 1/8 Clear	AL/AL	2	0.022(2)	0.250	A8-S	Fill 1: AIR (100)	N		CL	0.78	0.19	0.34	19																
	00071-00001	1/8 LoE 270 - Air - 1/8 Clear 090 PVB - 1/8 Clear	AL/AL	2	0.037(2)	0.250	P1-S	Fill 1: AIR (100)	N		CL	0.78	0.24	0.37	19																
	00071-00002	1/8 LoE 270 - Air - 1/8 Clear 090 PVB - 1/8 Clear	AL/AL	2	0.037(2)	0.250	A8-S	Fill 1: AIR (100)	N		CL	0.78	0.24	0.37	19																
	00072-00001	1/8 LoE 240 - Air - 1/8 Clear 090 PVB - 1/8 Clear	AL/AL	2	0.057(2)	0.250	P1-S	Fill 1: AIR (100)	N		CL	0.78	0.19	0.21	19																
	00072-00002	1/8 LoE 240 - Air - 1/8 Clear 090 PVB - 1/8 Clear	AL/AL	2	0.057(2)	0.250	A8-S	Fill 1: AIR (100)	N		CL	0.78	0.19	0.21	19																
	00073-00001	1/8 LoE 366 - Arg - 1/8 Clear 090 PVB - 1/8 Clear	AL/AL	2	0.022(2)	0.250	P1-S	Fill 1: ARG/AIR (90/10)	N		CL	0.74	0.19	0.34	19																

# NFRC Product Certification Authorization Report



**Manufacturer:** Lawson Industries      **Product Series:** LaPorte 2200 Outswing French Door      **Simulation Lab:** SFTL      **Initial Cert. Date:** 06/06/2007  
**Street:** 8501 NW 90th Street      **Product Type:** EDSL      **Sim. Report #:** 9044-2      **Re-Certification Date:** 08/26/2016  
**City/State/Zip:** Medley, FL 33166      **Air Leakage:**      **Sim. Report Date:** 08/18/2016      **Revised Date:** 12/05/2017  
**Print Date:** 08/03/2018      **VR (Standard Screen):**      **Test Date:** 07/30/2016      **Expiration Date:** 07/30/2021  
**VR (Enhanced Screen):**

CPD Number: LAW-A-5																IA: American Architectural Manufacturers Association															
Status	Product Num.	Manufacturer Code	Frame/Sash	Glaz Lyrs	Low-E (Surface)	Gap Width(s)	Spacer	Gap Fill	Grids	Dividers	Tint	U-Factor	SHGC	VT	Cond. Res.																
	00073-00002	1/8 LoE 366 - Arg - 1/8 Clear 090 PVB - 1/8 Clear	AL/AL	2	0.022(2)	0.250	A8-S	Fill 1: ARG/AIR (90/10)	N		CL	0.74	0.19	0.34	19																
	00074-00001	1/8 LoE 270 - Arg - 1/8 Clear 090 PVB - 1/8 Clear	AL/AL	2	0.037(2)	0.250	P1-S	Fill 1: ARG/AIR (90/10)	N		CL	0.74	0.24	0.37	19																
	00074-00002	1/8 LoE 270 - Arg - 1/8 Clear 090 PVB - 1/8 Clear	AL/AL	2	0.037(2)	0.250	A8-S	Fill 1: ARG/AIR (90/10)	N		CL	0.74	0.24	0.37	19																
	00075-00001	1/8 LoE 240 - Arg - 1/8 Clear 090 PVB - 1/8 Clear	AL/AL	2	0.057(2)	0.250	P1-S	Fill 1: ARG/AIR (90/10)	N		CL	0.75	0.18	0.21	19																
	00075-00002	1/8 LoE 240 - Arg - 1/8 Clear 090 PVB - 1/8 Clear	AL/AL	2	0.057(2)	0.250	A8-S	Fill 1: ARG/AIR (90/10)	N		CL	0.75	0.18	0.21	19																
	00076-00001	1/8 Comfort Select 28 - Air - 1/8 Clear 090 PVB - 1/8 Clear	AL/AL	2	0.021(2)	0.250	P1-S	Fill 1: AIR (100)	N		CL	0.78	0.20	0.33	19																
	00076-00002	1/8 Comfort Select 28 - Air - 1/8 Clear 090 PVB - 1/8 Clear	AL/AL	2	0.021(2)	0.250	A8-S	Fill 1: AIR (100)	N		CL	0.78	0.20	0.33	19																
	00077-00001	1/8 Comfort Select 36 - Air - 1/8 Clear 090 PVB - 1/8 Clear	AL/AL	2	0.027(2)	0.250	P1-S	Fill 1: AIR (100)	N		CL	0.78	0.24	0.35	19																
	00077-00002	1/8 Comfort Select 36 - Air - 1/8 Clear 090 PVB - 1/8 Clear	AL/AL	2	0.027(2)	0.250	A8-S	Fill 1: AIR (100)	N		CL	0.78	0.24	0.35	19																
	00078-00001	1/8 Clima Guard 55/27 - Air - 1/8 Clear 090 PVB - 1/8 Clear	AL/AL	2	0.031(2)	0.250	P1-S	Fill 1: AIR (100)	N		CL	0.78	0.20	0.29	19																
	00078-00002	1/8 Clima Guard 55/27 - Air - 1/8 Clear 090 PVB - 1/8 Clear	AL/AL	2	0.031(2)	0.250	A8-S	Fill 1: AIR (100)	N		CL	0.78	0.20	0.29	19																
	00079-00001	1/8 Clima Guard 63/31 - Air - 1/8 Clear 090 PVB - 1/8 Clear	AL/AL	2	0.033(2)	0.250	P1-S	Fill 1: AIR (100)	N		CL	0.78	0.21	0.33	19																
	00079-00002	1/8 Clima Guard 63/31 - Air - 1/8 Clear 090 PVB - 1/8 Clear	AL/AL	2	0.033(2)	0.250	A8-S	Fill 1: AIR (100)	N		CL	0.78	0.21	0.33	19																
	00080-00001	1/8 Comfort Select 28 - Arg - 1/8 Clear 090 PVB - 1/8 Clear	AL/AL	2	0.021(2)	0.250	P1-S	Fill 1: ARG/AIR (90/10)	N		CL	0.74	0.20	0.33	19																
	00080-00002	1/8 Comfort Select 28 - Arg - 1/8 Clear 090 PVB - 1/8 Clear	AL/AL	2	0.021(2)	0.250	A8-S	Fill 1: ARG/AIR (90/10)	N		CL	0.74	0.20	0.33	19																
	00081-00001	1/8 Comfort Select 36 - Arg - 1/8 Clear 090 PVB - 1/8 Clear	AL/AL	2	0.027(2)	0.250	P1-S	Fill 1: ARG/AIR (90/10)	N		CL	0.74	0.24	0.35	19																

# NFRC Product Certification Authorization Report



**Manufacturer:** Lawson Industries      **Product Series:** LaPorte 2200 Outswing French Door      **Simulation Lab:** SFTL      **Initial Cert. Date:** 06/06/2007  
**Street:** 8501 NW 90th Street      **Product Type:** EDSL      **Sim. Report #:** 9044-2      **Re-Certification Date:** 08/26/2016  
**City/State/Zip:** Medley, FL 33166      **Air Leakage:**      **Sim. Report Date:** 08/18/2016      **Revised Date:** 12/05/2017  
**Print Date:** 08/03/2018      **VR (Standard Screen):**      **Test Date:** 07/30/2016      **Expiration Date:** 07/30/2021  
**VR (Enhanced Screen):**

CPD Number: LAW-A-5																IA: American Architectural Manufacturers Association															
Status	Product Num.	Manufacturer Code	Frame/Sash	Glaz Lyrs	Low-E (Surface)	Gap Width(s)	Spacer	Gap Fill	Grids	Dividers	Tint	U-Factor	SHGC	VT	Cond. Res.																
	00081-00002	1/8 Comfort Select 36 - Arg - 1/8 Clear 090 PVB - 1/8 Clear	AL/AL	2	0.027(2)	0.250	A8-S	Fill 1: ARG/AIR (90/10)	N		CL	0.74	0.24	0.35	19																
	00082-00001	1/8 Clima Guard 55/27 - Arg - 1/8 Clear 090 PVB - 1/8 Clear	AL/AL	2	0.031(2)	0.250	P1-S	Fill 1: ARG/AIR (90/10)	N		CL	0.74	0.19	0.29	19																
	00082-00002	1/8 Clima Guard 55/27 - Arg - 1/8 Clear 090 PVB - 1/8 Clear	AL/AL	2	0.031(2)	0.250	A8-S	Fill 1: ARG/AIR (90/10)	N		CL	0.74	0.19	0.29	19																
	00083-00001	1/8 Clima Guard 63/31 - Arg - 1/8 Clear 090 PVB - 1/8 Clear	AL/AL	2	0.033(2)	0.250	P1-S	Fill 1: ARG/AIR (90/10)	N		CL	0.74	0.21	0.33	19																
	00083-00002	1/8 Clima Guard 63/31 - Arg - 1/8 Clear 090 PVB - 1/8 Clear	AL/AL	2	0.033(2)	0.250	A8-S	Fill 1: ARG/AIR (90/10)	N		CL	0.74	0.21	0.33	19																
	00084-00001	1/8 Clima Guard 70/36 - Air - 1/8 Clear 090 PVB - 1/8 Clear	AL/AL	2	0.036(2)	0.250	P1-S	Fill 1: AIR (100)	N		CL	0.78	0.23	0.34	19																
	00084-00002	1/8 Clima Guard 70/36 - Air - 1/8 Clear 090 PVB - 1/8 Clear	AL/AL	2	0.036(2)	0.250	A8-S	Fill 1: AIR (100)	N		CL	0.78	0.23	0.34	19																
	00085-00001	1/8 Clima Guard 70/36 - Arg - 1/8 Clear 090 PVB - 1/8 Clear	AL/AL	2	0.036(2)	0.250	P1-S	Fill 1: ARG/AIR (90/10)	N		CL	0.74	0.22	0.34	19																
	00085-00002	1/8 Clima Guard 70/36 - Arg - 1/8 Clear 090 PVB - 1/8 Clear	AL/AL	2	0.036(2)	0.250	A8-S	Fill 1: ARG/AIR (90/10)	N		CL	0.74	0.22	0.34	19																
	00086-00001	1/8 Comfort Slect 28 - Air - 1/8 Clear	AL/AL	2	0.021(2)	0.250	P1-S	Fill 1: AIR (100)	N		CL	0.78	0.20	0.34	19																
	00086-00002	1/8 Comfort Slect 28 - Air - 1/8 Clear	AL/AL	2	0.021(2)	0.250	A8-S	Fill 1: AIR (100)	N		CL	0.78	0.20	0.34	19																
	00087-00001	1/8 Comfort Slect 36 - Air - 1/8 Clear	AL/AL	2	0.027(2)	0.250	P1-S	Fill 1: AIR (100)	N		CL	0.78	0.24	0.36	19																
	00087-00002	1/8 Comfort Slect 36 - Air - 1/8 Clear	AL/AL	2	0.027(2)	0.250	A8-S	Fill 1: AIR (100)	N		CL	0.78	0.24	0.36	19																
	00088-00001	1/8 Clima Guard 55/27 - Air - 1/8 Clear	AL/AL	2	0.031(2)	0.250	P1-S	Fill 1: AIR (100)	N		CL	0.78	0.20	0.30	19																
	00088-00002	1/8 Clima Guard 55/27 - Air - 1/8 Clear	AL/AL	2	0.031(2)	0.250	A8-S	Fill 1: AIR (100)	N		CL	0.78	0.20	0.30	19																
	00089-00001	1/8 Clima Guard 63/31 - Air - 1/8 Clear	AL/AL	2	0.033(2)	0.250	P1-S	Fill 1: AIR (100)	N		CL	0.78	0.22	0.34	19																
	00089-00002	1/8 Clima Guard 63/31 - Air - 1/8 Clear	AL/AL	2	0.033(2)	0.250	A8-S	Fill 1: AIR (100)	N		CL	0.78	0.22	0.34	19																
	00090-00001	1/8 Clima Guard 70/36 - Air - 1/8 Clear	AL/AL	2	0.036(2)	0.250	P1-S	Fill 1: AIR (100)	N		CL	0.78	0.23	0.35	19																
	00090-00002	1/8 Clima Guard 70/36 - Air - 1/8 Clear	AL/AL	2	0.036(2)	0.250	A8-S	Fill 1: AIR (100)	N		CL	0.78	0.23	0.35	19																
	00091-00001	1/8 Comfort Select 28-Arg-1/8 Clear	AL/AL	2	0.021(2)	0.250	P1-S	Fill 1: ARG/AIR (90/10)	N		CL	0.74	0.20	0.34	19																

# NFRC Product Certification Authorization Report



**Manufacturer:** Lawson Industries      **Product Series:** LaPorte 2200 Outswing French Door      **Simulation Lab:** SFTL      **Initial Cert. Date:** 06/06/2007  
**Street:** 8501 NW 90th Street      **Product Type:** EDSL      **Sim. Report #:** 9044-2      **Re-Certification Date:** 08/26/2016  
**City/State/Zip:** Medley, FL 33166      **Air Leakage:**      **Sim. Report Date:** 08/18/2016      **Revised Date:** 12/05/2017  
**Print Date:** 08/03/2018      **VR (Standard Screen):**      **Test Date:** 07/30/2016      **Expiration Date:** 07/30/2021  
**VR (Enhanced Screen):**

CPD Number: LAW-A-5																IA: American Architectural Manufacturers Association															
Status	Product Num.	Manufacturer Code	Frame/Sash	Glaz Lyrs	Low-E (Surface)	Gap Width(s)	Spacer	Gap Fill	Grids	Dividers	Tint	U-Factor	SHGC	VT	Cond. Res.																
	00091-00002	1/8 Comfort Select 28-Arg-1/8 Clear	AL/AL	2	0.021(2)	0.250	A8-S	Fill 1: ARG/AIR (90/10)	N		CL	0.74	0.20	0.34	19																
	00092-00001	1/8 Comfort Select 36-Arg-1/8 Clear	AL/AL	2	0.027(2)	0.250	P1-S	Fill 1: ARG/AIR (90/10)	N		CL	0.74	0.24	0.36	19																
	00092-00002	1/8 Comfort Select 36-Arg-1/8 Clear	AL/AL	2	0.027(2)	0.250	A8-S	Fill 1: ARG/AIR (90/10)	N		CL	0.74	0.24	0.36	19																
	00093-00001	1/8 Clima Guard 55/27-Arg-1/8 Clear	AL/AL	2	0.031(2)	0.250	P1-S	Fill 1: ARG/AIR (90/10)	N		CL	0.74	0.20	0.30	19																
	00093-00002	1/8 Clima Guard 55/27-Arg-1/8 Clear	AL/AL	2	0.031(2)	0.250	A8-S	Fill 1: ARG/AIR (90/10)	N		CL	0.74	0.20	0.30	19																
	00094-00001	1/8 Clima Guard 63/31-Arg-1/8 Clear	AL/AL	2	0.033(2)	0.250	P1-S	Fill 1: ARG/AIR (90/10)	N		CL	0.74	0.21	0.34	19																
	00094-00002	1/8 Clima Guard 63/31-Arg-1/8 Clear	AL/AL	2	0.033(2)	0.250	A8-S	Fill 1: ARG/AIR (90/10)	N		CL	0.74	0.21	0.34	19																
	00095-00001	1/8 Clima Guard 70/36 - Arg-1/8 Clear	AL/AL	2	0.036(2)	0.250	P1-S	Fill 1: ARG/AIR (90/10)	N		CL	0.75	0.23	0.35	19																
	00095-00002	1/8 Clima Guard 70/36 - Arg-1/8 Clear	AL/AL	2	0.036(2)	0.250	A8-S	Fill 1: ARG/AIR (90/10)	N		CL	0.75	0.23	0.35	19																
	00096-00001	1/8 Clear - 090 PVB - 1/8 Clear	AL/AL	1	0.149(2)		N		N		CL	0.87	0.42	0.47	9																
	00097-00001	1/8 LoE 366 - 090 PVB - 1/8 Clear	AL/AL	1			N		N		CL	1.07	0.22	0.33	15																
	00098-00001	1/8 LoE 340 - 090 PVB - 1/8 Clear	AL/AL	1			N		N		CL	1.07	0.19	0.20	15																
	00099-00001	1/8 LoE 366 -AIR- 1/8 Clear-090 Bz PVB-1/8 Clear	AL/AL	2	0.022(2)	0.250	A8-S	Fill 1: AIR(100)	N		BZ	0.79	0.18	0.20	18																
	00099-00002	1/8 LoE 366 -AIR- 1/8 Clear-090 Bz PVB-1/8 Clear	AL/AL	2	0.022(2)	0.250	P1-S	Fill 1: AIR(100)	N		BZ	0.79	0.18	0.20	18																
	00099-00003	1/8 LoE 366 -AIR- 1/8 Clear-090 Gy PVB-1/8 Clear	AL/AL	2	0.022(2)	0.250	A8-S	Fill 1: AIR(100)	N		GY	0.79	0.18	0.17	18																
	00099-00004	1/8 LoE 366 -AIR- 1/8 Clear-090 Gy PVB-1/8 Clear	AL/AL	2	0.022(2)	0.250	P1-S	Fill 1: AIR(100)	N		GY	0.79	0.18	0.17	18																
	00100-00001	1/8 LoE 366 -ARG- 1/8 Clear-090 Bz PVB-1/8 Clear	AL/AL	2	0.022(2)	0.250	A8-S	Fill 1: ARG/AIR(90/10)	N		BZ	0.75	0.18	0.20	18																
	00100-00002	1/8 LoE 366 -ARG- 1/8 Clear-090 Bz PVB-1/8 Clear	AL/AL	2	0.022(2)	0.250	P1-S	Fill 1: ARG/AIR(90/10)	N		BZ	0.75	0.18	0.20	18																
	00100-00003	1/8 LoE 366 -ARG- 1/8 Clear-090 Gy PVB-1/8 Clear	AL/AL	2	0.022(2)	0.250	A8-S	Fill 1: ARG/AIR(90/10)	N		GY	0.75	0.18	0.17	18																
	00100-00004	1/8 LoE 366 -ARG- 1/8 Clear-090 Gy PVB-1/8 Clear	AL/AL	2	0.022(2)	0.250	P1-S	Fill 1: ARG/AIR(90/10)	N		GY	0.75	0.18	0.17	18																

# NFRC Product Certification Authorization Report



**Manufacturer:** Lawson Industries      **Product Series:** LaPorte 2200 Outswing French Door      **Simulation Lab:** SFTL      **Initial Cert. Date:** 06/06/2007  
**Street:** 8501 NW 90th Street      **Product Type:** EDSL      **Sim. Report #:** 9044-2      **Re-Certification Date:** 08/26/2016  
**City/State/Zip:** Medley, FL 33166      **Air Leakage:**      **Sim. Report Date:** 08/18/2016      **Revised Date:** 12/05/2017  
**Print Date:** 08/03/2018      **VR (Standard Screen):**      **Test Date:** 07/30/2016      **Expiration Date:** 07/30/2021  
**VR (Enhanced Screen):**

CPD Number: LAW-A-5																IA: American Architectural Manufacturers Association															
Status	Product Num.	Manufacturer Code	Frame/Sash	Glaz Lyrs	Low-E (Surface)	Gap Width(s)	Spacer	Gap Fill	Grids	Dividers	Tint	U-Factor	SHGC	VT	Cond. Res.																
	00101-00001	1/8 LoE 340 -AIR- 1/8 Clear-090 PVB-1/8 Clear	AL/AL	2	0.028(2)	0.250	A8-S	Fill 1: AIR(100)	N		CL	0.79	0.15	0.20	18																
	00101-00002	1/8 LoE 340 -AIR- 1/8 Clear-090 PVB-1/8 Clear	AL/AL	2	0.028(2)	0.250	P1-S	Fill 1: AIR(100)	N		CL	0.79	0.15	0.20	18																
	00101-00003	1/8 LoE 340 -AIR- 1/8 Clear-090 Bz PVB-1/8 Clear	AL/AL	2	0.028(2)	0.250	A8-S	Fill 1: AIR(100)	N		BZ	0.79	0.14	0.12	18																
	00101-00004	1/8 LoE 340 -AIR- 1/8 Clear-090 Bz PVB-1/8 Clear	AL/AL	2	0.028(2)	0.250	P1-S	Fill 1: AIR(100)	N		BZ	0.79	0.14	0.12	18																
	00101-00005	1/8 LoE 340 -AIR- 1/8 Clear-090 Gy PVB-1/8 Clear	AL/AL	2	0.028(2)	0.250	A8-S	Fill 1: AIR(100)	N		GY	0.79	0.14	0.10	18																
	00101-00006	1/8 LoE 340 -AIR- 1/8 Clear-090 Gy PVB-1/8 Clear	AL/AL	2	0.028(2)	0.250	P1-S	Fill 1: AIR(100)	N		GY	0.79	0.14	0.10	18																
	00102-00001	1/8 LoE 340 -ARG- 1/8 Clear-090 PVB-1/8 Clear	AL/AL	2	0.028(2)	0.250	A8-S	Fill 1: ARG/AIR(90/10)	N		CL	0.76	0.14	0.20	18																
	00102-00002	1/8 LoE 340 -ARG- 1/8 Clear-090 PVB-1/8 Clear	AL/AL	2	0.028(2)	0.250	P1-S	Fill 1: ARG/AIR(90/10)	N		CL	0.76	0.14	0.20	18																
	00102-00003	1/8 LoE 340 -ARG- 1/8 Clear-090 Bz PVB-1/8 Clear	AL/AL	2	0.028(2)	0.250	A8-S	Fill 1: ARG/AIR(90/10)	N		BZ	0.76	0.14	0.12	18																
	00102-00004	1/8 LoE 340 -ARG- 1/8 Clear-090 Bz PVB-1/8 Clear	AL/AL	2	0.028(2)	0.250	P1-S	Fill 1: ARG/AIR(90/10)	N		BZ	0.76	0.14	0.12	18																
	00102-00005	1/8 LoE 340 -ARG- 1/8 Clear-090 Gy PVB-1/8 Clear	AL/AL	2	0.028(2)	0.250	A8-S	Fill 1: ARG/AIR(90/10)	N		GY	0.76	0.14	0.10	18																
	00102-00006	1/8 LoE 340 -ARG- 1/8 Clear-090 Gy PVB-1/8 Clear	AL/AL	2	0.028(2)	0.250	P1-S	Fill 1: ARG/AIR(90/10)	N		GY	0.76	0.14	0.10	18																
	00103-00001	1/8 ClimaGuard 62/27 -AIR- 1/8 Clear-090 PVB-1/8 Clear	AL/AL	2	0.03(2)	0.250	A8-S	Fill 1: AIR(100)	N		CL	0.79	0.20	0.33	18																
	00103-00002	1/8 ClimaGuard 62/27 -AIR- 1/8 Clear-090 PVB-1/8 Clear	AL/AL	2	0.03(2)	0.250	P1-S	Fill 1: AIR(100)	N		CL	0.79	0.20	0.33	18																
	00103-00003	1/8 ClimaGuard 62/27 -AIR- 1/8 Clear-090 Bz PVB-1/8 Clear	AL/AL	2	0.03(2)	0.250	A8-S	Fill 1: AIR(100)	N		BZ	0.79	0.18	0.19	18																
	00103-00004	1/8 ClimaGuard 62/27 -AIR- 1/8 Clear-090 Bz PVB-1/8 Clear	AL/AL	2	0.03(2)	0.250	P1-S	Fill 1: AIR(100)	N		BZ	0.79	0.18	0.19	18																

# NFRC Product Certification Authorization Report



**Manufacturer:** Lawson Industries      **Product Series:** LaPorte 2200 Outswing French Door      **Simulation Lab:** SFTL      **Initial Cert. Date:** 06/06/2007  
**Street:** 8501 NW 90th Street      **Product Type:** EDSL      **Sim. Report #:** 9044-2      **Re-Certification Date:** 08/26/2016  
**City/State/Zip:** Medley, FL 33166      **Air Leakage:**      **Sim. Report Date:** 08/18/2016      **Revised Date:** 12/05/2017  
**Print Date:** 08/03/2018      **VR (Standard Screen):**      **Test Date:** 07/30/2016      **Expiration Date:** 07/30/2021  
**VR (Enhanced Screen):**

CPD Number: LAW-A-5																IA: American Architectural Manufacturers Association															
Status	Product Num.	Manufacturer Code	Frame/Sash	Glaz Lyrs	Low-E (Surface)	Gap Width(s)	Spacer	Gap Fill	Grids	Dividers	Tint	U-Factor	SHGC	VT	Cond. Res.																
	00103-00005	1/8 ClimaGuard 62/27 -AIR- 1/8 Clear-090 Gy PVB-1/8 Clear	AL/AL	2	0.03(2)	0.250	A8-S	Fill 1: AIR(100)	N		GY	0.79	0.18	0.16	18																
	00103-00006	1/8 ClimaGuard 62/27 -AIR- 1/8 Clear-090 Gy PVB-1/8 Clear	AL/AL	2	0.03(2)	0.250	P1-S	Fill 1: AIR(100)	N		GY	0.79	0.18	0.16	18																
	00103-00007	1/8 ClimaGuard 62/27 -AIR- 1/8 Clear-090 Gre PVB-1/8 Clear	AL/AL	2	0.03(2)	0.250	A8-S	Fill 1: AIR(100)	N		GR	0.79	0.19	0.28	18																
	00103-00008	1/8 ClimaGuard 62/27 -AIR- 1/8 Clear-090 Gre PVB-1/8 Clear	AL/AL	2	0.03(2)	0.250	P1-S	Fill 1: AIR(100)	N		GR	0.79	0.19	0.28	18																
	00104-00001	1/8 ClimaGuard 62/27 -ARG- 1/8 Clear-090 PVB-1/8 Clear	AL/AL	2	0.03(2)	0.250	A8-S	Fill 1: ARG/AIR(90/10)	N		CL	0.76	0.19	0.33	18																
	00104-00002	1/8 ClimaGuard 62/27 -ARG- 1/8 Clear-090 PVB-1/8 Clear	AL/AL	2	0.03(2)	0.250	P1-S	Fill 1: ARG/AIR(90/10)	N		CL	0.76	0.19	0.33	18																
	00104-00003	1/8 ClimaGuard 62/27 -ARG- 1/8 Clear-090 Bz PVB-1/8 Clear	AL/AL	2	0.03(2)	0.250	A8-S	Fill 1: ARG/AIR(90/10)	N		BZ	0.76	0.18	0.19	18																
	00104-00004	1/8 ClimaGuard 62/27 -ARG- 1/8 Clear-090 Bz PVB-1/8 Clear	AL/AL	2	0.03(2)	0.250	P1-S	Fill 1: ARG/AIR(90/10)	N		BZ	0.76	0.18	0.19	18																
	00104-00005	1/8 ClimaGuard 62/27 -ARG- 1/8 Clear-090 Gy PVB-1/8 Clear	AL/AL	2	0.03(2)	0.250	A8-S	Fill 1: ARG/AIR(90/10)	N		GY	0.76	0.18	0.16	18																
	00104-00006	1/8 ClimaGuard 62/27 -ARG- 1/8 Clear-090 Gy PVB-1/8 Clear	AL/AL	2	0.03(2)	0.250	P1-S	Fill 1: ARG/AIR(90/10)	N		GY	0.76	0.18	0.16	18																
	00104-00007	1/8 ClimaGuard 62/27 -ARG- 1/8 Clear-090 Gre PVB-1/8 Clear	AL/AL	2	0.03(2)	0.250	A8-S	Fill 1: ARG/AIR(90/10)	N		GR	0.76	0.19	0.28	18																
	00104-00008	1/8 ClimaGuard 62/27 -ARG- 1/8 Clear-090 Gre PVB-1/8 Clear	AL/AL	2	0.03(2)	0.250	P1-S	Fill 1: ARG/AIR(90/10)	N		GR	0.76	0.19	0.28	18																
	00105-00001	1/8 LoE 340 -AIR- 1/8 Clear	AL/AL	2	0.028(2)	0.250	A8-S	Fill 1: AIR(100)	N		CL	0.80	0.15	0.21	17																
	00105-00002	1/8 LoE 340 -AIR- 1/8 Clear	AL/AL	2	0.028(2)	0.250	P1-S	Fill 1: AIR(100)	N		CL	0.80	0.15	0.21	17																
	00106-00001	1/8 LoE 340 -ARG- 1/8 Clear	AL/AL	2	0.028(2)	0.250	A8-S	Fill 1: ARG/AIR(90/10)	N		CL	0.76	0.15	0.21	17																
	00106-00002	1/8 LoE 340 -ARG- 1/8 Clear	AL/AL	2	0.028(2)	0.250	P1-S	Fill 1: ARG/AIR(90/10)	N		CL	0.76	0.15	0.21	17																
	00107-00001	1/8 ClimaGuard 62/27 -AIR- 1/8 Clear	AL/AL	2	0.03(2)	0.250	A8-S	Fill 1: AIR(100)	N		CL	0.80	0.20	0.34	17																
	00107-00002	1/8 ClimaGuard 62/27 -AIR- 1/8 Clear	AL/AL	2	0.03(2)	0.250	P1-S	Fill 1: AIR(100)	N		CL	0.80	0.20	0.34	17																

# NFRC Product Certification Authorization Report



**Manufacturer:** Lawson Industries      **Product Series:** LaPorte 2200 Outswing French Door      **Simulation Lab:** SFTL      **Initial Cert. Date:** 06/06/2007  
**Street:** 8501 NW 90th Street      **Product Type:** EDSL      **Sim. Report #:** 9044-2      **Re-Certification Date:** 08/26/2016  
**City/State/Zip:** Medley, FL 33166      **Air Leakage:**      **Sim. Report Date:** 08/18/2016      **Revised Date:** 12/05/2017  
**Print Date:** 08/03/2018      **VR (Standard Screen):**      **Test Date:** 07/30/2016      **Expiration Date:** 07/30/2021  
**VR (Enhanced Screen):**

CPD Number: LAW-A-5      IA: American Architectural Manufacturers Association

Status	Product Num.	Manufacturer Code	Frame/Sash	Glaz Lyrs	Low-E (Surface)	Gap Width(s)	Spacer	Gap Fill	Grids	Dividers	Tint	U-Factor	SHGC	VT	Cond. Res.
	00108-00001	1/8 ClimaGuard 62/27 -ARG- 1/8 Clear	AL/AL	2	0.03(2)	0.250	A8-S	Fill 1: ARG/AIR(90/10)	N		CL	0.76	0.20	0.34	17
	00108-00002	1/8 ClimaGuard 62/27 -ARG- 1/8 Clear	AL/AL	2	0.03(2)	0.250	P1-S	Fill 1: ARG/AIR(90/10)	N		CL	0.76	0.20	0.34	17



---

**Baseline Information**

<b>Test Lab</b>	<b>Test Date</b>	<b>Test Size</b>	<b>Tested U-Value</b>	<b>Standard U-Value</b>	<b>Test Report Number</b>
<b>TFTL</b>	<b>07/30/2016</b>	1003 mm x 2000 mm	0.812	0.741	9017

**Comments:**

I hereby certify that all requirements for NFRC Certification Authorization have been met and that the above information is true and correct, to the best of my knowledge.

Authorized IA  
Signature: \_\_\_\_\_