

NFRC Product Certification Authorization Report



Manufacturer: Lawson Industries **Product Series:** 9200 Sliding Glass Door **Simulation Lab:** SFTL **Initial Cert. Date:** 06/20/2007
Street: 8501 NW 90th Street **Product Type:** DDSG **Sim. Report #:** 9062-2 **Re-Certification Date:** 08/29/2016
City/State/Zip: Medley, FL 33166 **Air Leakage:** **Sim. Report Date:** 07/15/2016 **Revised Date:** 12/13/2017
Print Date: 08/09/2018 **VR (Standard Screen):** **Test Date:** 07/27/2016 **Expiration Date:** 07/27/2021
VR (Enhanced Screen):

CPD Number: LAW-A-9

IA: American Architectural Manufacturers Association

Status	Product Num.	Manufacturer Code	Frame/Sash	Glaz Lyrs	Low-E (Surface)	Gap Width(s)	Spacer	Gap Fill	Grids	Dividers	Tint	U-Factor	SHGC	VT	Cond. Res.
	00005-00001	3/16 Bronze-090 PVB -3/16 Clear	AL/AS	1			N		N		BR	1.01	0.50	0.47	15
	00005-00002	3/16 Clear-090 PVB-3/16 Clear	AL/AS	1			N		N		CL	1.01	0.62	0.71	15
	00005-00003	3/16 Gray-090 PVB-3/16 Clear	AL/AS	1			N		N		GY	1.01	0.48	0.40	15
	00005-00004	3/16 Clear-090 Gray PVB-3/16 Clear	AL/AS	1			N		N		GY	1.01	0.39	0.09	15
	00005-00005	3/16 Clear-090 Bronze PVB-3/16 Clear	AL/AS	1			N		N		BZ	1.01	0.36	0.12	15
	00005-00006	3/16 Clear-090 Green PVB-3/16 Clear	AL/AS	1			N		N		GR	1.01	0.49	0.36	15
	00006-00001	3/16 Clear-090 PVB-3/16 Clear i89	AL/AS	1	0.149(2)		N		N		CL	0.73	0.55	0.70	10
	00006-00002	3/16 Bronze-090 PVB-3/16 Clear i89	AL/AS	1	0.149(2)		N		N		BZ	0.73	0.42	0.46	10
	00006-00003	3/16 Gray-090 PVB-3/16 Clear i89	AL/AS	1	0.149(2)		N		N		GY	0.73	0.40	0.39	10
	00007-00001	3/16 LoE 366-090 SGP - 3/16 Clear	AL/AS	1			N		N		CL	1.02	0.30	0.49	15
	00007-00002	3/16 LoE 366 - 090 PVB - 3/16 Clear	AL/AS	1			N		N		CL	1.02	0.30	0.50	15
	00008-00001	3/16 LoE 340 - 090 PVB - 3/16 Clear	AL/AS	1			N		N		CL	1.01	0.25	0.31	15

Baseline Information

Test Lab	Test Date	Test Size	Tested U-Value	Standard U-Value	Test Report Number
TFTL	07/27/2016	2000 mm x 2000 mm	0.898	0.795	9019

Comments:

I hereby certify that all requirements for NFRC Certification Authorization have been met and that the above information is true and correct, to the best of my knowledge.

Authorized IA
Signature: _____