



**Product Approval**  
USER: Public User

License efficiently. Regulate fairly.

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

OFFICE OF THE SECRETARY

FL #	FL15441-R1	
Application Type	Revision	
Code Version	2010	
Application Status	Approved	
	*Approved by DCA. Approvals by DCA shall be reviewed and ratified by the POC and/or the Commission if necessary.	
Comments		
Archived	<input type="checkbox"/>	
Product Manufacturer	Lawson Industries	
Address/Phone/Email	8501 NW 90th Street Medley, FL 33166 (305) 696-8660 Ext 226 tom@lawsonwindows.com	
Authorized Signature	Thomas Sotos tom@lawsonwindows.com	
Technical Representative	Thomas J Sotos	
Address/Phone/Email	Lawson Industries 8501 NW 90th Street Medley, FL 33166 (305) 696-8660 tom@lawson-industries.com	
Quality Assurance Representative	Joe Thiry	
Address/Phone/Email	8501 NW 90th St Medley, FL 33166 (305) 696-8660 Ext 282 jthiry@lawsonwindows.com	
Category	Exterior Doors	
Subcategory	Sliding Exterior Door Assemblies	
Compliance Method	Certification Mark or Listing	
Certification Agency	Miami-Dade BCCO - CER	
Validated By	Miami-Dade BCCO - VAL	
Referenced Standard and Year (of Standard)	<b><u>Standard</u></b>	<b><u>Year</u></b>
	TAS 201	1994
	TAS 203	1994
	TAS 203	1994
Equivalence of Product Standards Certified By		
Product Approval Method	Method 1 Option A	

Date Submitted 02/27/2013  
 Date Validated 02/27/2013  
 Date Pending FBC Approval  
 Date Approved 02/27/2013

Summary of Products		
FL #	Model, Number or Name	Description
15441.1	9000 Aluminum Sliding Glass Door - Heavy Reinforcement	9000 Aluminum Sliding Glass Door - Heavy Reinforcement XX, OX, XO, XXX, OXO, OXXO, XXp, pXX, pXXX, XXXp, pXXXX, pXXXXp, OXXXp, pXXXO Configurations
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> No <b>Design Pressure:</b> +77.8/-110.1 <b>Other:</b> Glass lites wider than 36" shall have two setting blocks per FBC requirements.		<b>Certification Agency Certificate</b> <a href="#">FL15441 R1 C CAC 12-0127 05 (SGD-9000 heavy steel).pdf</a> <b>Quality Assurance Contract Expiration Date</b> 08/26/2017 <b>Installation Instructions</b> <a href="#">FL15441 R1 II 12-0127 05 (SGD-9000 heavy steel).pdf</a> Verified By: Thomas J. Sotos, P.E. 55225 Created by Independent Third Party: No <b>Evaluation Reports</b> Created by Independent Third Party:
15441.2	9000 Aluminum Sliding Glass Door - Light Reinforcement	9000 Aluminum Sliding Glass Door - Light Reinforcement XX, OX, XO, XXX, OXO, OXXO, XXp, pXX, pXXX, XXXp, pXXXX, pXXXXp, OXXXp, pXXXO Configurations
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> No <b>Design Pressure:</b> +77.8/-99 <b>Other:</b> Glass lites wider than 36" shall have two setting blocks per FBC requirements.		<b>Certification Agency Certificate</b> <a href="#">FL15441 R1 C CAC 12-0127 03 (SGD-9000 light steel).pdf</a> <b>Quality Assurance Contract Expiration Date</b> 08/26/2017 <b>Installation Instructions</b> <a href="#">FL15441 R1 II 12-0127 03 (SGD-9000 light steel).pdf</a> Verified By: Thomas J. Sotos, P.E. 55225 Created by Independent Third Party: No <b>Evaluation Reports</b> Created by Independent Third Party:
15441.3	9000 Aluminum Sliding Glass Door - Without Reinforcement	9000 Aluminum Sliding Glass Door - Without Reinforcement XX, OX, XO, XXX, OXO, OXXO, XXp, pXX, pXXX, XXXp, pXXXX, pXXXXp, OXXXp, pXXXO Configurations
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> No <b>Design Pressure:</b> +64/-89 <b>Other:</b> Glass lites wider than 36" shall have two setting blocks per FBC requirements.		<b>Certification Agency Certificate</b> <a href="#">FL15441 R1 C CAC 12-0127 04 (SGD-9000 no steel).pdf</a> <b>Quality Assurance Contract Expiration Date</b> 08/26/2017 <b>Installation Instructions</b> <a href="#">FL15441 R1 II 12-0127 04 (SGD-9000 no steel).pdf</a> Verified By: Thomas J. Sotos, P.E. 55225 Created by Independent Third Party: No <b>Evaluation Reports</b> Created by Independent Third Party:
15441.4	9200 Impact Aluminum Sliding Glass Door	9200 Impact Aluminum Sliding Glass Door - XO, OX, XX, OXO, XXX, OXXO, XXXX Configurations including L, R, & Double Pockets
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> Yes <b>Design Pressure:</b> +76/-85 <b>Other:</b> Glass lites wider than 36" shall have two setting blocks per FBC requirements.		<b>Certification Agency Certificate</b> <a href="#">FL15441 R1 C CAC 12-1204-12.pdf</a> <b>Quality Assurance Contract Expiration Date</b> 02/13/2018 <b>Installation Instructions</b> <a href="#">FL15441 R1 II 12-1204-12.pdf</a> Verified By: Thomas J. Sotos, P.E. 55225 Created by Independent Third Party: No <b>Evaluation Reports</b> Created by Independent Third Party:

[Back](#)

[Next](#)

Contact Us :: 1940 North Monroe Street, Tallahassee FL 32399 Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2010 State of Florida](#) :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. \*Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).