

**Lawson Industries, Inc.**

**New SH-7500 Single Hung Window Frame Sizes**  
**Standard 1/1 Equal Lite Flange Windows**

**Window Net Clear Opening Sizes & Areas**

CODE SIZE	FRAME SIZE		FRAME BUCK SIZE		VENT SIZE		CLEAR OPENING SIZE		AREA
	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT	(ft <sup>2</sup> )
12	19.125	26	18.125	25	16.313	13.750	15.313	6.674	0.7
13	19.125	38.375	18.125	37.375	16.313	19.938	15.313	12.862	1.4
14	19.125	50.625	18.125	49.625	16.313	26.063	15.313	18.987	2.0
145	19.125	58	18.125	57	16.313	29.750	15.313	22.674	2.4
15	19.125	63	18.125	62	16.313	32.250	15.313	25.174	2.7
16	19.125	74.25	18.125	73.25	16.313	37.875	15.313	30.799	3.3
H32	26.5	26	25.5	25	23.688	13.750	22.688	6.674	1.1
H33	26.5	38.375	25.5	37.375	23.688	19.938	22.688	12.862	2.0
H34	26.5	50.625	25.5	49.625	23.688	26.063	22.688	18.987	3.0
H345	26.5	58	25.5	57	23.688	29.750	22.688	22.674	3.6
H35	26.5	63	25.5	62	23.688	32.250	22.688	25.174	4.0
H36	26.5	74.25	25.5	73.25	23.688	37.875	22.688	30.799	4.9
22	37	26	36	25	34.188	13.750	33.188	6.674	1.5
23	37	38.375	36	37.375	34.188	19.938	33.188	12.862	3.0
24	37	50.625	36	49.625	34.188	26.063	33.188	18.987	4.4
245	37	58	36	57	34.188	29.750	33.188	24.174	5.7
25	37	63	36	62	34.188	32.250	33.188	25.174	5.8
26	37	74.25	36	73.25	34.188	37.875	33.188	30.799	7.1
32	53.125	26	52.125	25	50.313	13.750	49.313	6.674	2.3
33	53.125	38.375	52.125	37.375	50.313	19.938	49.313	12.862	4.4
34	53.125	50.625	52.125	49.625	50.313	26.063	49.313	18.987	6.5
345	53.125	58	52.125	57	50.313	29.750	49.313	24.174	8.3
35	53.125	63	52.125	62	50.313	32.250	49.313	25.174	8.6
36	53.125	74.25	52.125	73.25	50.313	37.875	49.313	30.799	10.5

\*3  
\*1  
\*1  
\*3  
\*1  
\*1

- A Minimum Clear Opening: ( inches )  
 Clear Width = 20" min.  
 Clear Height = 24" min.
- B Minimum Net Clear Opening: ( sq. ft. )  
 Ground Floor = 5.0 SQ.FT.  
 Second & Above = 5.7 SQ.FT.

- \*1 with 2" hi sash stop  
 \*2 with 1" hi sash stop  
 \*3 STD rail with no sash stop

**Lawson Industries, Inc.**

**New SH-7500 Single Hung Window Frame Sizes**

**Standard 1/1 Equal Lite Flange Windows**

**Window Net Clear Opening Sizes & Areas**

CODE SIZE	FRAME SIZE		FRAME BUCK SIZE		VENT SIZE		CLEAR OPENING SIZE		AREA (ft <sup>2</sup> )
	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT	
2020	24	24	23	23	21.188	12.750	20.188	5.674	0.8
2620	30	24	29	23	27.188	12.750	26.188	5.674	1.0
3020	36	24	35	23	33.188	12.750	32.188	5.674	1.3
3620	42	24	41	23	39.188	12.750	38.188	5.674	1.5
4020	48	24	47	23	45.188	12.750	44.188	5.674	1.7
2030	24	36	23	35	21.188	18.750	20.188	11.674	1.6
2630	30	36	29	35	27.188	18.750	26.188	11.674	2.1
3030	36	36	35	35	33.188	18.750	32.188	11.674	2.6
3630	42	36	41	35	39.188	18.750	38.188	11.674	3.1
4030	48	36	47	35	45.188	18.750	44.188	11.674	3.6
2040	24	48	23	47	21.188	24.750	20.188	17.674	2.5
2640	30	48	29	47	27.188	24.750	26.188	17.674	3.2
3040	36	48	35	47	33.188	24.750	32.188	17.674	4.0
3640	42	48	41	47	39.188	24.750	38.188	17.674	4.7
4040	48	48	47	47	45.188	24.750	44.188	17.674	5.4
2050	24	60	23	59	21.188	30.750	20.188	23.674	3.3
2650	30	60	29	59	27.188	30.750	26.188	23.674	4.3
3050	36	60	35	59	33.188	30.750	32.188	25.174	5.6
3650	42	60	41	59	39.188	30.750	38.188	24.674	6.5
4050	48	60	47	59	45.188	30.750	44.188	24.674	7.6
2060	24	72	23	71	21.188	36.750	20.188	29.674	4.2
2660	30	72	29	71	27.188	36.750	26.188	31.174	5.7
3060	36	72	35	71	33.188	36.750	32.188	29.674	6.6
3660	42	72	41	71	39.188	36.750	38.188	29.674	7.9
4060	48	72	47	71	45.188	36.750	44.188	29.674	9.1

\*3  
\*2  
\*2  
\*3  
\*1  
\*1  
\*1

- A Minimum Clear Opening: ( inches )  
 Clear Width = 20" min.  
 Clear Height = 24" min.
- B Minimum Net Clear Opening: ( sq. ft. )  
 Ground Floor = 5.0 SQ.FT.  
 Second & Above = 5.7 SQ.FT.

- \*1 with 2" hi sash stop  
 \*2 with 1" hi sash stop  
 \*3 with 1/2" hi sash stop

[Lawson Industries, Inc.](#)

**New SH-7600 Single Hung Window Frame Sizes**

**Standard 1/1 Equal Lite Fin Windows**

**Clear Opening Sizes & Areas**

CODE SIZE	FRAME BUCK SIZE		VENT SIZE		CLEAR OPENING SIZE		AREA (ft <sup>2</sup> )
	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT	
12	18 1/8	25	16.313	13.750	15.313	6.674	0.7
13	18 1/8	37 3/8	16.313	19.938	15.313	12.862	1.4
14	18 1/8	49 5/8	16.313	26.063	15.313	18.987	2.0
145	18 1/8	57	16.313	29.750	15.313	22.674	2.4
15	18 1/8	62	16.313	32.250	15.313	25.174	2.7
16	18 1/8	73 1/4	16.313	37.875	15.313	30.799	3.3
H32	25 1/2	25	23.688	13.750	22.688	6.674	1.1
H33	25 1/2	37 3/8	23.688	19.938	22.688	12.862	2.0
H34	25 1/2	49 5/8	23.688	26.063	22.688	18.987	3.0
H345	25 1/2	57	23.688	29.750	22.688	22.674	3.6
H35	25 1/2	62	23.688	32.250	22.688	25.174	4.0
H36	25 1/2	73 1/4	23.688	37.875	22.688	30.799	4.9
22	36	25	34.188	13.750	33.188	6.674	1.5
23	36	37 3/8	34.188	19.938	33.188	12.862	3.0
24	36	49 5/8	34.188	26.063	33.188	18.987	4.4
245	36	57	34.188	29.750	33.188	24.174	5.6
25	36	62	34.188	32.250	33.188	25.174	5.8
26	36	73 1/4	34.188	37.875	33.188	30.799	7.1
32	52 1/8	25	50.313	13.750	49.313	6.674	2.3
33	52 1/8	37 3/8	50.313	19.938	49.313	12.862	4.4
34	52 1/8	49 5/8	50.313	26.063	49.313	18.987	6.5
345	52 1/8	57	50.313	29.750	49.313	24.174	8.3
35	52 1/8	62	50.313	32.250	49.313	25.174	8.6
36	52 1/8	73 1/4	50.313	37.875	49.313	30.799	10.5

[Lawson Industries, Inc.](#)

[New SH-7600 Single Hung Window Frame Sizes](#)

[Standard 1/1 Equal Lite Fin Windows](#)

[Clear Opening Sizes & Areas](#)

CODE SIZE	FRAME BUCK SIZE		VENT SIZE		CLEAR OPENING SIZE		AREA
	WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT	(ft <sup>2</sup> )
2020	23	23	21.188	12.750	20.188	5.674	0.8
2620	29	23	27.188	12.750	26.188	5.674	1.0
3020	35	23	33.188	12.750	32.188	5.674	1.3
3620	41	23	39.188	12.750	38.188	5.674	1.5
4020	47	23	45.188	12.750	44.188	5.674	1.7
2030	23	35	21.188	18.750	20.188	11.674	1.6
2630	29	35	27.188	18.750	26.188	11.674	2.1
3030	35	35	33.188	18.750	32.188	11.674	2.6
3630	41	35	39.188	18.750	38.188	11.674	3.1
4030	47	35	45.188	18.750	44.188	11.674	3.6
2040	23	47	21.188	24.750	20.188	17.674	2.5
2640	29	47	27.188	24.750	26.188	17.674	3.2
3040	35	47	33.188	24.750	32.188	17.674	4.0
3640	41	47	39.188	24.750	38.188	17.674	4.7
4040	47	47	45.188	24.750	44.188	17.674	5.4
2050	23	59	21.188	30.750	20.188	23.674	3.3
2650	29	59	27.188	30.750	26.188	23.674	4.3
3050	35	59	33.188	30.750	32.188	25.174	5.6
3650	41	59	39.188	30.750	38.188	24.674	6.5
4050	47	59	45.188	30.750	44.188	24.674	7.6
2060	23	71	21.188	36.750	20.188	29.674	4.2
2660	29	71	27.188	36.750	26.188	31.174	5.7
3060	35	71	33.188	36.750	32.188	29.674	6.6
3660	41	71	39.188	36.750	38.188	29.674	7.9
4060	47	71	45.188	36.750	44.188	29.674	9.1