

Lawson Industries, Inc.

New Window Glass and Screen Dimensions for 7500 SINGLE HUNG

STANDARD	WINDOW DIMENSIONS		Fixed Glass		Vent Glass		SCREEN DIMENSIONS	
	Code	Window Width	Window Height	Width	Height	Width	Height	Width
12	19 1/8	26	16 1/16	10 1/4	15 1/16	10 1/4	16 1/16	12 1/2
13	19 1/8	38 3/8	16 1/16	16 7/16	15 1/16	16 7/16	16 1/16	18 11/16
14	19 1/8	50 5/8	16 1/16	22 9/16	15 1/16	22 9/16	16 1/16	24 13/16
19 1/8 x 58	19 1/8	58	16 1/16	26 1/4	15 1/16	26 1/4	16 1/16	28 1/2
15	19 1/8	63	16 1/16	28 3/4	15 1/16	28 3/4	16 1/16	31
19 1/8 x 72	19 1/8	72	16 1/16	33 1/4	15 1/16	33 1/4	16 1/16	35 1/2
16	19 1/8	74 1/4	16 1/16	34 3/8	15 1/16	34 3/8	16 1/16	36 5/8
1/2 32	26 1/2	26	23 7/16	10 1/4	22 7/16	10 1/4	23 7/16	12 1/2
1/2 33	26 1/2	38 3/8	23 7/16	16 7/16	22 7/16	16 7/16	23 7/16	18 11/16
1/2 34	26 1/2	50 5/8	23 7/16	22 9/16	22 7/16	22 9/16	23 7/16	24 13/16
26 1/2 x 58	26 1/2	58	23 7/16	26 1/4	22 7/16	26 1/4	23 7/16	28 1/2
1/2 35	26 1/2	63	23 7/16	28 3/4	22 7/16	28 3/4	23 7/16	31
26 1/2 x 72	26 1/2	72	23 7/16	33 1/4	22 7/16	33 1/4	23 7/16	35 1/2
1/2 36	26 1/2	74 1/4	23 7/16	34 3/8	22 7/16	34 3/8	23 7/16	36 5/8
28-2h	32	26	28 15/16	10 1/4	27 15/16	10 1/4	28 15/16	12 1/2
28-3h	32	38 3/8	28 15/16	16 7/16	27 15/16	16 7/16	28 15/16	18 11/16
28-4h	32	50 5/8	28 15/16	22 9/16	27 15/16	22 9/16	28 15/16	24 13/16
28-45h	32	58	28 15/16	26 1/4	27 15/16	26 1/4	28 15/16	28 1/2
28-5h	32	63	28 15/16	28 3/4	27 15/16	28 3/4	28 15/16	31
2860	32	72	28 15/16	33 1/4	27 15/16	33 1/4	28 15/16	35 1/2
28-6h	32	74 1/4	28 15/16	34 3/8	27 15/16	34 3/8	28 15/16	36 5/8
22	37	26	33 15/16	10 1/4	32 15/16	10 1/4	33 15/16	12 1/2
23	37	38 3/8	33 15/16	16 7/16	32 15/16	16 7/16	33 15/16	18 11/16
24	37	50 5/8	33 15/16	22 9/16	32 15/16	22 9/16	33 15/16	24 13/16
37 x 58	37	58	33 15/16	26 1/4	32 15/16	26 1/4	33 15/16	28 1/2
25	37	63	33 15/16	28 3/4	32 15/16	28 3/4	33 15/16	31
37 x 72	37	72	33 15/16	33 1/4	32 15/16	33 1/4	33 15/16	35 1/2
26	37	74 1/4	33 15/16	34 3/8	32 15/16	34 3/8	33 15/16	36 5/8
34-2h	40	26	36 15/16	10 1/4	35 15/16	10 1/4	36 15/16	12 1/2
34-3h	40	38 3/8	36 15/16	16 7/16	35 15/16	16 7/16	36 15/16	18 11/16
34-4h	40	50 5/8	36 15/16	22 9/16	35 15/16	22 9/16	36 15/16	24 13/16
34-45h	40	58	36 15/16	26 1/4	35 15/16	26 1/4	36 15/16	28 1/2
34-5h	40	63	36 15/16	28 3/4	35 15/16	28 3/4	36 15/16	31
3460	40	72	36 15/16	33 1/4	35 15/16	33 1/4	36 15/16	35 1/2
34-6h	40	74 1/4	36 15/16	34 3/8	35 15/16	34 3/8	36 15/16	36 5/8
40-2h	48	26	44 15/16	10 1/4	43 15/16	10 1/4	44 15/16	12 1/2
40-3h	48	38 3/8	44 15/16	16 7/16	43 15/16	16 7/16	44 15/16	18 11/16
40-4h	48	50 5/8	44 15/16	22 9/16	43 15/16	22 9/16	44 15/16	24 13/16
40-45h	48	58	44 15/16	26 1/4	43 15/16	26 1/4	44 15/16	28 1/2
40-5h	48	63	44 15/16	28 3/4	43 15/16	28 3/4	44 15/16	31
4060	48	72	44 15/16	33 1/4	43 15/16	33 1/4	44 15/16	35 1/2
40-6h	48	74 1/4	44 15/16	34 3/8	43 15/16	34 3/8	44 15/16	36 5/8
32	53 1/8	26	50 1/16	10 1/4	49 1/16	10 1/4	50 1/16	12 1/2
33	53 1/8	38 3/8	50 1/16	16 7/16	49 1/16	16 7/16	50 1/16	18 11/16
34	53 1/8	50 5/8	50 1/16	22 9/16	49 1/16	22 9/16	50 1/16	24 13/16
53 1/8 x 58	53 1/8	58	50 1/16	26 1/4	49 1/16	26 1/4	50 1/16	28 1/2
35	53 1/8	63	50 1/16	28 3/4	49 1/16	28 3/4	50 1/16	31
53 1/8 x 72	53 1/8	72	50 1/16	33 1/4	49 1/16	33 1/4	50 1/16	35 1/2
36	53 1/8	74 1/4	50 1/16	34 3/8	49 1/16	34 3/8	50 1/16	36 5/8

Lawson Industries, Inc.

New Window Glass and Screen Dimensions for 7600 SINGLE HUNG

STANDARD	WINDOW DIMENSIONS		Fixed Glass		Vent Glass		SCREEN DIMENSIONS	
	Code	Window Width	Window Height	Width	Height	Width	Height	Width
12	18 1/8	25	16 1/16	10 1/4	15 1/16	10 1/4	16 1/16	12 1/2
13	18 1/8	37 3/8	16 1/16	16 7/16	15 1/16	16 7/16	16 1/16	18 11/16
14	18 1/8	49 5/8	16 1/16	22 9/16	15 1/16	22 9/16	16 1/16	24 13/16
18 1/8 x 57	18 1/8	57	16 1/16	26 1/4	15 1/16	26 1/4	16 1/16	28 1/2
15	18 1/8	62	16 1/16	28 3/4	15 1/16	28 3/4	16 1/16	31
18 1/8 x 71	18 1/8	71	16 1/16	33 1/4	15 1/16	33 1/4	16 1/16	35 1/2
16	18 1/8	73 1/4	16 1/16	34 3/8	15 1/16	34 3/8	16 1/16	36 5/8
1/2 32	25 1/2	25	23 7/16	10 1/4	22 7/16	10 1/4	23 7/16	12 1/2
1/2 33	25 1/2	37 3/8	23 7/16	16 7/16	22 7/16	16 7/16	23 7/16	18 11/16
1/2 34	25 1/2	49 5/8	23 7/16	22 9/16	22 7/16	22 9/16	23 7/16	24 13/16
25 1/2 x 57	25 1/2	57	23 7/16	26 1/4	22 7/16	26 1/4	23 7/16	28 1/2
1/2 35	25 1/2	62	23 7/16	28 3/4	22 7/16	28 3/4	23 7/16	31
25 1/2 x 71	25 1/2	71	23 7/16	33 1/4	22 7/16	33 1/4	23 7/16	35 1/2
1/2 36	25 1/2	73 1/4	23 7/16	34 3/8	22 7/16	34 3/8	23 7/16	36 5/8
28-2h	31	25	28 15/16	10 1/4	27 15/16	10 1/4	28 15/16	12 1/2
28-3h	31	37 3/8	28 15/16	16 7/16	27 15/16	16 7/16	28 15/16	18 11/16
28-4h	31	49 5/8	28 15/16	22 9/16	27 15/16	22 9/16	28 15/16	24 13/16
28-45h	31	57	28 15/16	26 1/4	27 15/16	26 1/4	28 15/16	28 1/2
28-5h	31	62	28 15/16	28 3/4	27 15/16	28 3/4	28 15/16	31
2860	31	71	28 15/16	33 1/4	27 15/16	33 1/4	28 15/16	35 1/2
28-6h	31	73 1/4	28 15/16	34 3/8	27 15/16	34 3/8	28 15/16	36 5/8
22	36	25	33 15/16	10 1/4	32 15/16	10 1/4	33 15/16	12 1/2
23	36	37 3/8	33 15/16	16 7/16	32 15/16	16 7/16	33 15/16	18 11/16
24	36	49 5/8	33 15/16	22 9/16	32 15/16	22 9/16	33 15/16	24 13/16
36 x 57	36	57	33 15/16	26 1/4	32 15/16	26 1/4	33 15/16	28 1/2
25	36	62	33 15/16	28 3/4	32 15/16	28 3/4	33 15/16	31
36 x 71	36	71	33 15/16	33 1/4	32 15/16	33 1/4	33 15/16	35 1/2
26	36	73 1/4	33 15/16	34 3/8	32 15/16	34 3/8	33 15/16	36 5/8
34-2h	39	25	36 15/16	10 1/4	35 15/16	10 1/4	36 15/16	12 1/2
34-3h	39	37 3/8	36 15/16	16 7/16	35 15/16	16 7/16	36 15/16	18 11/16
34-4h	39	49 5/8	36 15/16	22 9/16	35 15/16	22 9/16	36 15/16	24 13/16
34-45h	39	57	36 15/16	26 1/4	35 15/16	26 1/4	36 15/16	28 1/2
34-5h	39	62	36 15/16	28 3/4	35 15/16	28 3/4	36 15/16	31
3460	39	71	36 15/16	33 1/4	35 15/16	33 1/4	36 15/16	35 1/2
34-6h	39	73 1/4	36 15/16	34 3/8	35 15/16	34 3/8	36 15/16	36 5/8
40-2h	47	25	44 15/16	10 1/4	43 15/16	10 1/4	44 15/16	12 1/2
40-3h	47	37 3/8	44 15/16	16 7/16	43 15/16	16 7/16	44 15/16	18 11/16
40-4h	47	49 5/8	44 15/16	22 9/16	43 15/16	22 9/16	44 15/16	24 13/16
40-45h	47	57	44 15/16	26 1/4	43 15/16	26 1/4	44 15/16	28 1/2
40-5h	47	62	44 15/16	28 3/4	43 15/16	28 3/4	44 15/16	31
4060	47	71	44 15/16	33 1/4	43 15/16	33 1/4	44 15/16	35 1/2
40-6h	47	73 1/4	44 15/16	34 3/8	43 15/16	34 3/8	44 15/16	36 5/8
32	52 1/8	25	50 1/16	10 1/4	49 1/16	10 1/4	50 1/16	12 1/2
33	52 1/8	37 3/8	50 1/16	16 7/16	49 1/16	16 7/16	50 1/16	18 11/16
34	52 1/8	49 5/8	50 1/16	22 9/16	49 1/16	22 9/16	50 1/16	24 13/16
52 1/8 x 57	52 1/8	57	50 1/16	26 1/4	49 1/16	26 1/4	50 1/16	28 1/2
35	52 1/8	62	50 1/16	28 3/4	49 1/16	28 3/4	50 1/16	31
52 1/8 x 71	52 1/8	71	50 1/16	33 1/4	49 1/16	33 1/4	50 1/16	35 1/2
36	52 1/8	73 1/4	50 1/16	34 3/8	49 1/16	34 3/8	50 1/16	36 5/8

09/10/05

SINGLE HUNG VENT REMOVAL PROCEEDURE

- 1 - While standing inside house, face window, and push window vent (sash) to it's full down & latched position.
- 2 - Remove plastic vent stops in both jambs. Stops are plastic "U" channels 2 ¾" in length, and are pressure fitted in to jamb channel directly below window header.
- 3 - Locate the vent removal clips (also known as take-out clips) in both jambs channels. Clips are easily identified as being ¼ " x 1 ¼" in size, and made of shiny spring steel. Clips will be located approximately 3" above top of vent. Clips should be fully seated, and flush with surface of jamb.
- 4 - Insert tip of dull kitchen knife or slotted screwdriver under the lower edge of clip and gently pry lower edge of clip out and away from it's recessed position in the jamb. Clips are designed to extend out approximately ¼" from fully seated position. Do not force clips out beyond the ¼" detent.
- 5 - Unlatch vent locks, and carefully raise vent up to it's maximum.
- 6 - Gently move vent to right or left side until vent can be swung out, and away from it's position in jamb channel.
- 7 - Carefully set vent in safe location while remedial work is being performed.
- 8 - To reinstall vent-----reverse above procedure.
- 9 - After vent is reinstalled, and lowered to latching position ----- be certain to push vent removal clips back into jamb until clips are seated flush.

Failure to fully seat clip flush could result in window malfunction, and the possibility of vent accidentally falling out of window.