



Product Approval
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

OFFICE OF THE SECRETARY

FL # FL15412-R8
 Application Type Revision
 Code Version 2020
 Application Status Approved
 *Approved by DBPR. Approvals by DBPR shall be reviewed and ratified by the POC and/or the Commission if necessary.

Comments
 Archived

Product Manufacturer Lawson Industries
 Address/Phone/Email 8501 NW 90th Street
 Medley, FL 33166
 (305) 696-8660 Ext 226
 tom@lawsonwindows.com

Authorized Signature Thomas Sotos
 tom@lawsonwindows.com

Technical Representative Thomas J Sotos
 Address/Phone/Email Lawson Industries
 8501 NW 90th Street
 Medley, FL 33166
 (305) 696-8660
 tom@lawson-industries.com

Quality Assurance Representative Steven Bailey
 Address/Phone/Email 8501 NW 90th St.
 Medley, FL 33166
 (305) 696-8660 Ext 287
 steven@lawsonwindows.com

Category Windows
 Subcategory Single Hung

Compliance Method Certification Mark or Listing

Certification Agency Miami-Dade BCCO - CER
 Validated By Miami-Dade BCCO - VAL

Referenced Standard and Year (of Standard)	Standard	Year
	TAS 201	1994
	TAS 202	1994
	TAS 203	1994

Equivalence of Product Standards
 Certified By

Product Approval Method

Method 1 Option A

Date Submitted

01/05/2021

Date Validated

01/28/2021

Date Pending FBC Approval

Date Approved

02/06/2021

Summary of Products

FL #	Model, Number or Name	Description
15412.1	7500 Non-Impact Flange Frame Single Hung Window	7500 Non-Impact Flange Frame Single Hung Window
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +70/-100 Other: Duraseal spacer to be used for all insulated lites. Glass lites wider than 36" shall have two setting blocks per FBC 2411.3.3.1 requirements. Please refer to the NOA for all other limitations.		Certification Agency Certificate FL15412_R8_C_CAC_20-0713.02.pdf Quality Assurance Contract Expiration Date 09/01/2025 Installation Instructions FL15412_R8_II_20-0713.02.pdf Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:
15412.2	7600 Non-Impact Fin Frame Single Hung Window	7600 Non-Impact Fin Frame Single Hung Window
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +70/-100 Other: Duraseal spacer to be used for all insulated lites. Glass lites wider than 36" shall have two setting blocks per FBC 2411.3.3.1 requirements. Please refer to the NOA for all other limitations.		Certification Agency Certificate FL15412_R8_C_CAC_20-0512.02.pdf Quality Assurance Contract Expiration Date 07/07/2025 Installation Instructions FL15412_R8_II_20-0512.02.pdf Verified By: Thomas J. Sotos, P.E. 55225 Created by Independent Third Party: No Evaluation Reports Created by Independent Third Party:
15412.3	7700 Impact, Flange Frame Single Hung Window	7700 Impact, Flange Frame Single Hung Window
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +80/-80 Other: Duraseal spacer to be used for all insulated lites. Glass lites wider than 36" shall have two setting blocks per FBC 2411.3.3.1 requirements. Please refer to the NOA for all other limitations.		Certification Agency Certificate FL15412_R8_C_CAC_20-0813-07.pdf Quality Assurance Contract Expiration Date 12/27/2026 Installation Instructions FL15412_R8_II_20-0813-07.pdf Verified By: Thomas J. Sotos, P.E. 55225 Created by Independent Third Party: No Evaluation Reports Created by Independent Third Party:
15412.4	7800 Impact, Fin Frame Single Window	7800 Impact, Fin Frame Single Window
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +60/-60 Other: Duraseal spacer to be used for all insulated lites. Glass lites wider than 36" shall have two setting blocks per FBC 2411.3.3.1 requirements. Please refer to the NOA for all other limitations.		Certification Agency Certificate FL15412_R8_C_CAC_20-0813-08.pdf Quality Assurance Contract Expiration Date 11/06/2023 Installation Instructions FL15412_R8_II_20-0813-08.pdf Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:

[Back](#) [Next](#)

Contact Us :: [2601 Blair Stone Road, Tallahassee FL 32399](#) Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida.](#) :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).



