



**Product Approval**  
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

OFFICE OF THE SECRETARY

FL # FL15441-R4  
 Application Type Revision  
 Code Version 2020  
 Application Status Approved  
 \*Approved by DBPR. Approvals by DBPR shall be reviewed and ratified by the POC and/or the Commission if necessary.

Comments  
 Archived

Product Manufacturer Lawson Industries  
 Address/Phone/Email 8501 NW 90th Street  
 Medley, FL 33166  
 (305) 696-8660 Ext 226  
 tom@lawsonwindows.com

Authorized Signature Thomas Sotos  
 tom@lawsonwindows.com

Technical Representative Nelson Erazo  
 Address/Phone/Email 8501 NE 90 Street  
 Medley, FL 33166  
 (305) 696-8660 Ext 219  
 nelson@lawsonwindows.com

Quality Assurance Representative Steven Bailey  
 Address/Phone/Email 8501 NW 90th St.  
 Medley, FL 33166  
 (305) 696-8660 Ext 287  
 steven@lawsonwindows.com

Category Exterior Doors  
 Subcategory Sliding Exterior Door Assemblies

Compliance Method Certification Mark or Listing

Certification Agency Miami-Dade BCCO - CER  
 Validated By Miami-Dade BCCO - VAL

Referenced Standard and Year (of Standard)	<b>Standard</b>	<b>Year</b>
	TAS 201	1994
	TAS 202	1994
	TAS 203	1994

Equivalence of Product Standards Certified By

Product Approval Method Method 1 Option A

Date Submitted 01/05/2021  
 Date Validated 01/28/2021  
 Date Pending FBC Approval  
 Date Approved 02/06/2021

**Summary of Products**

FL #	Model, Number or Name	Description
15441.1	9000 Aluminum Sliding Glass Door - Heavy Reinforcement	9000 Aluminum Sliding Glass Door - Heavy Reinforcement XX, OX, XO, XXX, OXO, OXXO, XXp, pXX, pXXX, XXXp, pXXXX, pXXXXp, OXXXp, pXXO Configurations
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> No <b>Design Pressure:</b> +77.8/-110.1 <b>Other:</b> Glass lites wider than 36" shall have two setting blocks per FBC requirements.		<b>Certification Agency Certificate</b> <a href="#">FL15441 R4 C CAC 20-0901-09 Heavy Steel.pdf</a> <b>Quality Assurance Contract Expiration Date</b> 08/26/2022 <b>Installation Instructions</b> <a href="#">FL15441 R4 II 20-0901-09 Heavy Steel.pdf</a> Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: <b>Evaluation Reports</b> Created by Independent Third Party:
15441.2	9000 Aluminum Sliding Glass Door - Light Reinforcement	9000 Aluminum Sliding Glass Door - Light Reinforcement XX, OX, XO, XXX, OXO, OXXO, XXp, pXX, pXXX, XXXp, pXXXX, pXXXXp, OXXXp, pXXO Configurations
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> No <b>Design Pressure:</b> +77.8/-99 <b>Other:</b> Glass lites wider than 36" shall have two setting blocks per FBC requirements.		<b>Certification Agency Certificate</b> <a href="#">FL15441 R4 C CAC 20-0901-08 Light Steel.pdf</a> <b>Quality Assurance Contract Expiration Date</b> 08/26/2022 <b>Installation Instructions</b> <a href="#">FL15441 R4 II 20-0901-08 Light Steel.pdf</a> Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: <b>Evaluation Reports</b> Created by Independent Third Party:
15441.3	9000 Aluminum Sliding Glass Door - Without Reinforcement	9000 Aluminum Sliding Glass Door - Without Reinforcement XX, OX, XO, XXX, OXO, OXXO, XXp, pXX, pXXX, XXXp, pXXXX, pXXXXp, OXXXp, pXXO Configurations
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> No <b>Design Pressure:</b> +64/-89 <b>Other:</b> Glass lites wider than 36" shall have two setting blocks per FBC requirements.		<b>Certification Agency Certificate</b> <a href="#">FL15441 R4 C CAC 20-0901-07 No Steel.pdf</a> <b>Quality Assurance Contract Expiration Date</b> 08/26/2022 <b>Installation Instructions</b> <a href="#">FL15441 R4 II 20-0901-07 No Steel.pdf</a> Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: <b>Evaluation Reports</b> Created by Independent Third Party:
15441.4	9200 Impact Aluminum Sliding Glass Door	9200 Impact Aluminum Sliding Glass Door - XO, OX, XX, OXO, XXX, OXXO, XXXX Configurations including L, R, & Double Pockets
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> Yes <b>Design Pressure:</b> +76/-85 <b>Other:</b> Glass lites wider than 36" shall have two setting blocks per FBC requirements.		<b>Certification Agency Certificate</b> <a href="#">FL15441 R4 C CAC 20-0901-06.pdf</a> <b>Quality Assurance Contract Expiration Date</b> 02/13/2023 <b>Installation Instructions</b> <a href="#">FL15441 R4 II 20-0901-06.pdf</a> Verified By: Miami-Dade BCCO - CER Created by Independent Third Party: <b>Evaluation Reports</b> Created by Independent Third Party:

[Back](#) [Next](#)

[Contact Us](#) :: 2601 Blair Stone Road, Tallahassee FL 32399 Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida](#). :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. \*Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

**Product Approval Accepts:**

